




## Status på ICD-11

DSOG's nationale kodemøde den 15. marts 2023  
Solvejg Bang



## ICD-11 på 10 minutter - 2

- Siden sidst "ICD-11 på 10 minutter" fra marts 2017...
- ICD-11 i Danmark
- Nyt i ICD-11
- Forskelle mellem ICD-10 og ICD-11 i kapitel 18
- Eksempler på koder og tekster fra SKS, ICD-10 og ICD-11
- WHO-FIC Maintenance Platform (den orange platform)
- ICD-11 Home Page
- ICD-11 International Classification of Diseases 11th Revision (den blå browser)
- Eksempel 1 på postkoordinering (truende abort)
- Eksempel 2 på postkoordinering (blødning postpartum)
- Hvis du vil vide mere...



## Siden 2017 er ICD-11 blevet udviklet i WHO-FIC samarbejdet...

- 2017: Som svar på medlemsstaternes feedback omkring overgangen til ICD-11, besluttede WHO at der skulle ydes teknisk bistand til medlemslandene således at de kunne udvikle deres **nationale implementeringsstrategier** med henblik på at forbedre sundheden i befolkningen og overvågningen af sygdomsforekomsten
- WHO har gennemført flere **workshops** og de brugere, der er startet implementeringen af ICD-11 tidligt har givet værdifulde erfaringer videre til nye brugere, der ikke var så langt i den proces.
- Den **teknisk support** fra WHO omfatter instruktion i brugen af oversættelsesplatformen og integration af ICD-11 kodningsværktøjet (coding tool) i lokale informationssystemer, samt en løbende dialog.
- Der er etableret en **ICD-11-implementeringspakke**, der indeholder nødvendige oplysninger, værktøjer, træningsmaterialer forslag til kortlægning og andet til støtte for brugen af ICD.
- Den orange **ICD-11 Proposal platform** og oversættelsesværktøj er åbent for alle interessererde og den letter den løbende opdateringsproces, og oversættelsesværktøjet muliggør oversættelser, der kan anvendes i den kliniske hverdag, hvor ICD bruges ([WHO releases new International Classification of Diseases \(ICD 11\)](#))
- 2018: WHO udgav den **18. juni 2018 den første officielle version af ICD-11**. Den indeholder omkring 55.000 unikke koder for skader, sygdomme og dødsårsager, og den giver et fælles sprog, der gør det muligt for sundhedsprofessionelle at dele sundhedsoplysninger over hele kloden.
- 2019: ICD-11 blev vedtaget/godkendt af den **72. Verdenssundhedsforsamling (WHA) i 2019**
- **2022: 1. januar trådte ICD-11 i kraft som international standard** for sygdoms- og dødsårsagsregistrering og rapportering
- 2023: En opdateret **ICD-11 – 2023 version** er publiceret i februar




# ICD-11 i Danmark – status aktuelt

- Der er blevet gennemført for-analyser i 2019 og 2021 og der pågår aktuelt et modningsprojekt, der har til formål at afklare en række forudsætninger for en vellykket overgang til ICD-11.
- Resultaterne fra modningsprojektet skal sikre, at der etableres et tilstrækkeligt grundlag for, at man kan udarbejde en kvalificeret strategi for implementering af ICD-11 i Danmark – både ud fra klinisk, aktivitetsmonitorerings- og økonomisk perspektiv, og modningsprojektet forventes afsluttet i andet kvartal af 2023.
- SDS er sammen med de faglige selskaber indenfor psykiatri gået i gang med oversættelse af vejledningen '*Clinical descriptions and Diagnostic Requirements*' (CDDR), der knytter sig til kapitel 06 i ICD-11, *Mental, behavioural or neurodevelopmental disorders*.
- Aktuelt er en første rå-oversættelse af CDDR ved at være gennemført, og der forestår nu et større redaktionsarbejde.
- Et forsigtigt og optimistisk bud på en tidshorisont for overgang til ICD-11 i Danmark har hidtil været 2027, men et egentligt implementeringsprojekt for ICD-11 er ikke finansieret endnu, og tidshorisonten heller ikke nagelfast.
- Man kan læse mere om modningsprojektet og finde link til et nyhedsbrev om ICD-11 på SDS' hjemmeside: [ICD-11 – Sundhedsdatastyrelsen \(\[https://sundhedsdatastyrelsen.dk/da/rammer-og-retningslinjer/om-klassifikationer/sks-klassifikationer/icd\\\_11\]\(https://sundhedsdatastyrelsen.dk/da/rammer-og-retningslinjer/om-klassifikationer/sks-klassifikationer/icd\_11\)\)](https://sundhedsdatastyrelsen.dk/da/rammer-og-retningslinjer/om-klassifikationer/sks-klassifikationer/icd_11)

# ICD-11 implementering i internationalt perspektiv

ICD-11 implementation is progressing



Data not available  
Not Applicable

1 2- 3 4- 5 6- 10 11- 15

The boundaries and names shown and the designations used on this map do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.




© WHO 2020. All rights reserved.

Kilde: WHO, [webinar-on-icd-11-implementation-strategy-and-country-experiences.pdf \(who.int\)](https://www.who.int)

# The WHO Family of International Classifications (WHO-FIC)

ICD-11



Kilde: WHO, [webinar-on-icd-11-implementation-strategy-and-country-experiences.pdf \(who.int\)](https://www.who.int/icd/11/implementations-strategy-and-country-experiences.pdf)


# WHO overall goal: Good Health and Wellbeing for All...



Kilde: WHO, [01-monitoring-the-health-related-sdgs-background-paper.pdf \(who.int\)](#)

# WHO-FIC

## Information and Interoperability



Kilde: WHO, [icd-11-introduction-clinical.pdf \(who.int\)](http://icd-11-introduction-clinical.pdf)

# Nyt indhold i ICD-11 sammenlignet med ICD-10

## Nyt i ICD-11 – overordnet set

- **ICD-11 er den første fuldt elektroniske udgave af ICD** og den giver i øjeblikket adgang til 17.000 diagnostiske kategorier med over 100.000 medicinsk-diagnostiske indeksudtryk, som man kan søge på i Coding Tool
- ICD-11 kan installeres og bruges **online eller offline** ved hjælp af gratis 'container'-software
- Forbedringer i ICD-11:
  - ICD-11 afspejler væsentlige **fremskridt inden for videnskab og medicin**, og klassifikationen er tilpasset med den nyeste viden om sygdomsbehandling og forebyggelse.
  - Der er mere **meningsfuldt klinisk indhold** end ICD-10.
  - Et væsentligt træk ved ICD-11 er den lettere og **større nøjagtighed ved kodning**, der kræver mindre brugertræning end tidligere, sammen med tilgængeligheden af online og offline funktion.
- ICD-11 er gjort klar til digitalisering af sundhedsdata til brug i flere it-miljøer med en **ny API**.
- ICD-11 præsenteres sammen med en pakke af web-tjenester inklusive **flersproget support** og indbygget brugervejledning.
- WHO har etableret en **orange vedligeholdelsesplatform**, hvori der er integreret mulighed for at foreslå ændringer eller tilføjelser til ICD-11 hvilket giver transparens i udviklingen af ICD-11 for alle interessererede parter.
- **ICD-11-oversættelsesværktøjet sikrer internationalt konsistente oversættelser og mulighed for tilføjelse af lokalt anvendte medicinske termer**

# Nyt indhold

- Koder for **antibiotikaresistens**, på linje med GLASS (The Global Antimicrobial Resistance Surveillance System)
- Nødvendige detaljer for **kræftregistrering** er indlejret i ICD-11
- Specifik kodning for **kliniske stadier af HIV**
- Mere klinisk relevant kodning for **komplikationer til diabetes**
- Koder for **almindelige hudkræftformer** basaliom og melanom undertyper
- Klassificering af **hjerteklapsygdomme og pulmonal hypertension**, som matcher de nuværende diagnostiske og behandlingsmæssige muligheder
- Oprettelsen af udvidede koder giver mulighed for **fleksibel tilføjelse af detaljer**, der er relevante for klinisk dokumentation
- **Ekstensionskoder** giver mulighed for at dokumentere **sværhedsgraden af tilstande, anatomi eller histopatologi**, registrering af **lægemidler** med WHO INN2 (International Nonproprietary Names, dvs. generiske betegnelser) samt WHO Medical Device nomenklatur (en WHO standard for medicinsk udstyr)

- 17.000 kategorier
- 85.000 enheder
- 130.000 termer
- >1.600.000 direkte understøttede udtryk baseret på ontologisk struktur
- Uendelige detaljer med manuelle kodekombinationer

▼ ICD-10 Version:2016

- ▶ I Certain infectious and parasitic diseases
- ▶ II Neoplasms
- ▶ III Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism
- ▶ IV Endocrine, nutritional and metabolic diseases
- ▶ V Mental and behavioural disorders
- ▶ VI Diseases of the nervous system
- ▶ VII Diseases of the eye and adnexa
- ▶ VIII Diseases of the ear and mastoid process
- ▶ IX Diseases of the circulatory system
- ▶ X Diseases of the respiratory system
- ▶ XI Diseases of the digestive system
- ▶ XII Diseases of the skin and subcutaneous tissue
- ▶ XIII Diseases of the musculoskeletal system and connective tissue
- ▶ XIV Diseases of the genitourinary system
- ▶ XV Pregnancy, childbirth and the puerperium
- ▶ XVI Certain conditions originating in the perinatal period
- ▶ XVII Congenital malformations, deformations and chromosomal abnormalities
- ▶ XVIII Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified
- ▶ XIX Injury, poisoning and certain other consequences of external causes
- ▶ XX External causes of morbidity and mortality
- ▶ XXI Factors influencing health status and contact with health services
- ▶ XXII Codes for special purposes



▼ ICD-11 - Mortality and Morbidity Statistics

- ▶ 01 Certain infectious or parasitic diseases
- ▶ 02 Neoplasms
- ▶ 03 Diseases of the blood or blood-forming organs
- ▶ 04 Diseases of the immune system
- ▶ 05 Endocrine, nutritional or metabolic diseases
- ▶ 06 Mental, behavioural or neurodevelopmental disorders
- ▶ 07 Sleep-wake disorders ← **Nyt kapitel**
- ▶ 08 Diseases of the nervous system
- ▶ 09 Diseases of the visual system
- ▶ 10 Diseases of the ear or mastoid process
- ▶ 11 Diseases of the circulatory system
- ▶ 12 Diseases of the respiratory system
- ▶ 13 Diseases of the digestive system
- ▶ 14 Diseases of the skin
- ▶ 15 Diseases of the musculoskeletal system or connective tissue
- ▶ 16 Diseases of the genitourinary system
- ▶ 17 Conditions related to sexual health ← **Nyt kapitel**
- ▶ 18 Pregnancy, childbirth or the puerperium
- ▶ 19 Certain conditions originating in the perinatal period
- ▶ 20 Developmental anomalies
- ▶ 21 Symptoms, signs or clinical findings, not elsewhere classified
- ▶ 22 Injury, poisoning or certain other consequences of external causes
- ▶ 23 External causes of morbidity or mortality
- ▶ 24 Factors influencing health status or contact with health services
- ▶ 25 Codes for special purposes
- ▶ 26 Traditional Medicine conditions - Module I ← **Nyt kapitel**
- ▶ V Supplementary section for functioning assessment ← **Nyt kapitel**
- ▶ X Extension Codes ← **Nyt kapitel**



Kapitel III er splittet  
op i 2 kapitler



Nyt kapitel

Nyt kapitel

Nyt kapitel

Nyt kapitel

▼ ICD-10 Version:2016

- ▶ I Certain infectious and parasitic diseases
- ▶ II Neoplasms
- ▶ III Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism
- ▶ IV Endocrine, nutritional and metabolic diseases
- ▶ V Mental and behavioural disorders
- ▶ VI Diseases of the nervous system
- ▶ VII Diseases of the eye and adnexa
- ▶ VIII Diseases of the ear and mastoid process
- ▶ IX Diseases of the circulatory system
- ▶ X Diseases of the respiratory system
- ▶ XI Diseases of the digestive system
- ▶ XII Diseases of the skin and subcutaneous tissue
- ▶ XIII Diseases of the musculoskeletal system and connective tissue
- ▶ XIV Diseases of the genitourinary system
- ▶ XV Pregnancy, childbirth and the puerperium
- ▶ XVI Certain conditions originating in the perinatal period
- ▶ XVII Congenital malformations, deformations and chromosomal abnormalities
- ▶ XVIII Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified
- ▶ XIX Injury, poisoning and certain other consequences of external causes
- ▶ XX External causes of morbidity and mortality
- ▶ XXI Factors influencing health status and contact with health services
- ▶ XXII Codes for special purposes



▼ ICD-11 - Mortality and Morbidity Statistics

- ▶ 01 Certain infectious or parasitic diseases
- ▶ 02 Neoplasms
- ▶ 03 Diseases of the blood or blood-forming organs
- ▶ 04 Diseases of the immune system
- ▶ 05 Endocrine, nutritional or metabolic diseases
- ▶ 06 Mental, behavioural or neurodevelopmental disorders
- ▶ 07 Sleep-wake disorders
- ▶ 08 Diseases of the nervous system
- ▶ 09 Diseases of the visual system
- ▶ 10 Diseases of the ear or mastoid process
- ▶ 11 Diseases of the circulatory system
- ▶ 12 Diseases of the respiratory system
- ▶ 13 Diseases of the digestive system
- ▶ 14 Diseases of the skin
- ▶ 15 Diseases of the musculoskeletal system or connective tissue
- ▶ 16 Diseases of the genitourinary system
- ▶ 17 Conditions related to sexual health
- ▶ 18 Pregnancy, childbirth or the puerperium
- ▶ 19 Certain conditions originating in the perinatal period
- ▶ 20 Developmental anomalies
- ▶ 21 Symptoms, signs or clinical findings, not elsewhere classified
- ▶ 22 Injury, poisoning or certain other consequences of external causes
- ▶ 23 External causes of morbidity or mortality
- ▶ 24 Factors influencing health status or contact with health services
- ▶ 25 Codes for special purposes
- ▶ 26 Traditional Medicine conditions - Module I
- ▶ V Supplementary section for functioning assessment
- ▶ X Extension Codes



Kapitel III er splittet  
op i 2 kapitler



Nyt kapitel

Nyt kapitel

Nyt kapitel

Nyt kapitel

# Forskelle mellem ICD–10 Kapitel XV og ICD–11 Kapitel 18 ”Pregnancy, childbirth or the puerperium”

- Kapitlet er blevet omorganiseret, men **indholdet er stadig det samme som i ICD-10**.
- Der er foretaget nogle **ændringer og tilføjelser** til afsnittene ”Maternal care” (pleje af den gravide) relateret til fosteret og amnion (fostervandshulen) og mulige fødselsproblemer og komplikationer ved fødslen
- **Yderligere specifikationer** er inkluderet for ”Early pregnancy loss”(tidligt graviditetstab).
- Der er tilføjet et **nyt afsnit ”Obstetric haemorrhage”** (obstetrisk blødning), så alle typer af blødninger kan grupperes sammen.

The screenshot shows the ICD-11 Reference Guide interface. On the left, a sidebar lists categories such as '3.15.15 Differences between ICD-10 and ICD-11 in Chapter 15', '3.15.16 Differences between ICD-10 and ICD-11 in Chapter 16', '3.15.17 Chapter 17 is a new addition to ICD-11 and was not found in past editions', '3.15.18 Differences between ICD-10 and ICD-11 in Chapter 18' (which is highlighted in blue), '3.15.19 Differences between ICD-10 and ICD-11 in Chapter 19', '3.15.20 Differences between ICD-10 and ICD-11 in Chapter 20', '3.15.21 Differences between ICD-10 and ICD-11 in Chapter 21', '3.15.22 Differences between ICD-10 and ICD-11 in Chapter 22', '3.15.23 Differences between ICD-10 and ICD-11 in Chapter 23', and '3.15.24 Differences between ICD-10 and ICD-11 in Chapter 24'. To the right, there are two columns of text. The left column is titled 'ICD-10 block heading' and lists codes like 'O00-O08 Pregnancy with abortive outcome', 'O10-O16 Oedema, proteinuria and hypertensive disorders in pregnancy, childbirth and the puerperium', etc. The right column is titled 'ICD-11 equivalent structure' and lists corresponding codes like 'Abortive outcome of pregnancy', 'Oedema, proteinuria, or hypertensive disorders in pregnancy, childbirth, or the puerperium', etc. Below these columns is a section titled 'Table 1: Comparison of ICD-10 block structure with ICD-11 equivalent structure'.

**3.15.18 Differences between ICD-10 and ICD-11 in Chapter 18**

The chapter has been reordered but content remains similar to that in ICD-10. There have been some changes and additions made to the sections Maternal care related to the fetus and amniotic cavity and possible delivery problems and Complications of labour and delivery. Additional specifications have been included for "Early pregnancy loss". A new section Obstetric haemorrhage has been added to enable all types of haemorrhage to be grouped together.

**Table 1: Comparison of ICD-10 block structure with ICD-11 equivalent structure**

ICD-10 block heading	ICD-11 equivalent structure
O00-O08 Pregnancy with abortive outcome	Abortive outcome of pregnancy
O10-O16 Oedema, proteinuria and hypertensive disorders in pregnancy, childbirth and the puerperium	Oedema, proteinuria, or hypertensive disorders in pregnancy, childbirth, or the puerperium
O20-O29 Other maternal disorders predominantly related to pregnancy	Certain specified maternal disorders predominantly related to pregnancy
O30-O48 Maternal care related to the fetus and amniotic cavity and possible delivery problems	Maternal care related to the fetus, amniotic cavity or possible delivery problems
O50-O75 Complications of labour and delivery	Complications of labour or delivery
O80-O84 Delivery	Delivery
O85-O92 Complications predominantly related to the puerperium	Complications predominantly related to the puerperium
O94-O99 Other obstetric conditions, not elsewhere classified	Certain obstetric conditions, not elsewhere classified

**3.15.19 Differences between ICD-10 and ICD-11 in Chapter 19**

There has been some reordering of this chapter but it remains similar to that in ICD-10. There is new grouping for Neurological disorders specific to the perinatal or neonatal period and an expansion of codes for gestational age of the fetus.

**3.15.20 Differences between ICD-10 and ICD-11 in Chapter 20**

**3.15.21 Differences between ICD-10 and ICD-11 in Chapter 21**

**3.15.22 Differences between ICD-10 and ICD-11 in Chapter 22**

**3.15.23 Differences between ICD-10 and ICD-11 in Chapter 23**

**3.15.24 Differences between ICD-10 and ICD-11 in Chapter 24**

# Eksempler på koder og tekster fra SKS, ICD-10 og ICD-11

## Underkropsstilling

	Sygdomsklassifikationen	ICD-10	ICD-11
Under graviditeten	DO321 Underkropsstilling	O32.1 Maternal care for breech presentation	JA82.1 Maternal care for breech presentation
Under fødslen	DO641 Fødsel kompliceret af underkropspræsentation	O64.1 Obstructed labour due to breech presentation	JB04.1 Obstructed labour due to breech presentation

# WHO-FIC Maintenance Platform, ICD-11 Home Page og ICD-11 MMS

The WHO-FIC Maintenance Platform is a web-based application for managing the International Classification of Diseases (ICD) and related classifications. The platform includes features for browsing, proposing changes, translating content, downloading files, and accessing guides.

This site contains unreleased, work in progress versions of the WHO Family of International Classifications (WHO-FIC). For the latest release of ICD-11 visit [ICD-11 Home Page](#)

You need to create an account if you wish to contribute to the classifications by writing proposals or comments

**Browse**

- Foundation**  
Browse the foundation component
- Reference Classifications**
  - ICD-11 MMS**
    - [ICD-11 Coding Tool](#)
    - [ICF](#)
    - [ICHI](#)
    - [ICHI Coding Tool](#)
  - Other Linearizations**
    - [Primary Care Linearization](#)
    - [more](#)

**Proposals**

- ICD-11**
  - [Add Proposals / See in hierarchy](#)
  - [Proposal list / Search](#)
- ICF**
  - [Add Proposals / See in hierarchy](#)
  - [Proposal list / Search](#)
- ICHI**
  - [Add Proposals / See in hierarchy](#)
  - [Proposal list / Search](#)
- ICD-11 Reference Guide**
  - [Add Proposals / See in hierarchy](#)
  - [Proposal list / Search](#)

**Translation Platform**

Assists the translation process.

Translation Platform can be used by registered translators only [More info](#)

**Downloads**

Download Area contains files that are updated frequently based on the changes made on the classification such as:


- [print versions](#)
- [simplified tabular versions](#)
- [proposal summary outputs](#)

**Guides**

- [User Guide for the Maintenance Platform](#)
- [Reference Guide \(unreleased content\)](#)
- [ICD-11 Reference Guide](#)
- [ICHI Reference Guide](#)
- [Training Videos](#)

REGISTER | LOGIN

Kilde: WHO, <https://icd.who.int/dev11#/http://id.who.int/icd/entity/721991699>



# ICD-11

International Classification of Diseases 11th Revision

The global standard for diagnostic health information

## Use ICD-11

[ICD-11 Browser](#)

*for seeing the content*

[ICD-11 Coding Tool](#)

*for coding with ICD-11*

[ICD-API](#)

*web services to get programmatic access to ICD-11*

[ICD-11 Implementation or Transition Guide](#)

## Learn More

[ICD Home Page](#)

[ICD-11 Reference Guide](#)

[ICD-11 Fact Sheet](#)

[ICD-11 License](#)

[ICD-11 Training](#)

[ICD Video](#)

[Older versions](#)

[ICD-10 Browser](#)

## Be Involved

Our [maintenance platform](#) provides various ways to contribute

[Comments](#)

[Proposals](#)

[Translations](#)



Kilde: WHO, [ICD-11 \(who.int\)](#); (<https://icd.who.int/en>)

## ICD-11 for Mortality and Morbidity Statistics (Version : 02/2022)

Search

[ Advanced Search ]

Browse

Coding Tool

Special Views

Info

### ICD-11 for Mortality and Morbidity Statistics

- ▶ 01 Certain infectious or parasitic diseases
- ▶ 02 Neoplasms
- ▶ 03 Diseases of the blood or blood-forming organs
- ▶ 04 Diseases of the immune system
- ▶ 05 Endocrine, nutritional or metabolic diseases
- ▶ 06 Mental, behavioural or neurodevelopmental disorders
- ▶ 07 Sleep-wake disorders
- ▶ 08 Diseases of the nervous system
- ▶ 09 Diseases of the visual system
- ▶ 10 Diseases of the ear or mastoid process
- ▶ 11 Diseases of the circulatory system
- ▶ 12 Diseases of the respiratory system
- ▶ 13 Diseases of the digestive system
- ▶ 14 Diseases of the skin
- ▶ 15 Diseases of the musculoskeletal system or connective tissue
- ▶ 16 Diseases of the genitourinary system
- ▶ 17 Conditions related to sexual health
- ▶ 18 Pregnancy, childbirth or the puerperium
- ▶ 19 Certain conditions originating in the perinatal period
- ▶ 20 Developmental anomalies
- ▶ 21 Symptoms, signs or clinical findings, not elsewhere classified
- ▶ 22 Injury, poisoning or certain other consequences of external causes
- ▶ 23 External causes of morbidity or mortality
- ▶ 24 Factors influencing health status or contact with health services
- ▶ 25 Codes for special purposes
- ▶ 26 Supplementary Chapter Traditional Medicine Conditions - Module I
- ▶ V Supplementary section for functioning assessment
- ▶ X Extension Codes

### ICD-11 for Mortality and Morbidity Statistics (ICD-11 MMS)

## ICD-11 for Mortality and Morbidity Statistics

- ▶ 01 Certain infectious or parasitic diseases
- ▶ 02 Neoplasms
- ▶ 03 Diseases of the blood or blood-forming organs
- ▶ 04 Diseases of the immune system
- ▶ 05 Endocrine, nutritional or metabolic diseases
- ▶ 06 Mental, behavioural or neurodevelopmental disorders
- ▶ 07 Sleep-wake disorders
- ▶ 08 Diseases of the nervous system
- ▶ 09 Diseases of the visual system
- ▶ 10 Diseases of the ear or mastoid process
- ▶ 11 Diseases of the circulatory system
- ▶ 12 Diseases of the respiratory system
- ▶ 13 Diseases of the digestive system
- ▶ 14 Diseases of the skin
- ▶ 15 Diseases of the musculoskeletal system or connective tissue
- ▶ 16 Diseases of the genitourinary system
- ▶ 17 Conditions related to sexual health
- ▶ 18 Pregnancy, childbirth or the puerperium
- ▶ 19 Certain conditions originating in the perinatal period
- ▶ 20 Developmental anomalies
- ▶ 21 Symptoms, signs or clinical findings, not elsewhere classified
- ▶ 22 Injury, poisoning or certain other consequences of external causes
- ▶ 23 External causes of morbidity or mortality
- ▶ 24 Factors influencing health status or contact with health services
- ▶ 25 Codes for special purposes
- ▶ 26 Supplementary Chapter Traditional Medicine Conditions - Module I
- ▶ V Supplementary section for functioning assessment
- ▶ X Extension Codes


Kilde, WHO: <https://icd.who.int/browse11/l-m/en>

EN

# ICD-11 Foundation

# The WHO Family of International Classifications (WHO-FIC)



ICD-11



Kilde: WHO, [webinar-on-icd-11-implementation-strategy-and-country-experiences.pdf \(who.int\)](https://www.who.int/icd/11/implementations-strategy-and-country-experiences.pdf)

## ICD-11

- Clinical system for statistical use
- Ontology with multiple parenting
- More detail beyond statistical categories
- Natural language processing, >1.6 million phrases
- Manual phrases, many millions



14000 categories  
 Separate text index  
 Separate rule base  
 Need terminology link  
**Outdated**

red = 17000 statistical codes, use with URI or code  
 grey = 85000 conditions, code with URI  
 yellow= 6000 rare diseases

Kilde: WHO, [introduction-to-icd-11-rare-diseases-webinar\\_final.pdf \(who.int\)](https://www.who.int/introduction-to-icd-11-rare-diseases-webinar_final.pdf)



The image shows the homepage of the WHO-FIC Maintenance Platform. The background features a large, abstract graphic of orange and yellow geometric shapes on a black background. At the top right, there are links for "REGISTER | LOGIN". The main title "WHO-FIC Maintenance Platform" is centered in large white text. Below the title, a message states: "This site contains unreleased, work in progress versions of the WHO Family of International Classifications (WHO-FIC). For the latest release of ICD-11 visit [ICD-11 Home Page](#). You need to create an account if you wish to contribute to the classifications by writing proposals or comments." The page is divided into several sections: "Browse" (with a red circle highlighting the "Foundation" link), "Proposals", "Translation Platform", "Downloads", and "Guides". Each section contains sub-links related to its function.

REGISTER | LOGIN

# WHO-FIC Maintenance Platform

This site contains unreleased, work in progress versions of the WHO Family of International Classifications (WHO-FIC). For the latest release of ICD-11 visit [ICD-11 Home Page](#). You need to create an account if you wish to contribute to the classifications by writing proposals or comments.

**Browse**

Foundation  
Browse the foundation component

Reference Classifications  
ICD-11 MMS  
ICD-11 Coding Tool  
ICF  
ICHI  
ICHI Coding Tool

Other Linearizations  
Primary Care Linearization  
[more](#)

**Proposals**

ICD-11  
[Add Proposals / See in hierarchy](#)  
[Proposal list / Search](#)

ICF  
[Add Proposals / See in hierarchy](#)  
[Proposal list / Search](#)

ICHI  
[Add Proposals / See in hierarchy](#)  
[Proposal list / Search](#)

ICD-11 Reference Guide  
[Add Proposals / See in hierarchy](#)  
[Proposal list / Search](#)

**Translation Platform**

Assists the translation process.

Translation Platform can be used by registered translators only [More info](#).

**Downloads**

Download Area contains files that are updated frequently based on the changes made on the classification such as:  
[print versions](#)  
[simplified tabular versions](#)  
[proposal summary outputs](#)

**Guides**

User Guide for the Maintenance Platform  
[Reference Guide \(unreleased content\)](#)  
[ICD-11 Reference Guide](#)  
[ICHI Reference Guide](#)  
[Training Videos](#)

Kilde:WHO, <https://icd.who.int/dev11#/http://id.who.int/icd/entity/721991699>

**ICD-11 for Mortality and Morbidity Statistics**Search 

[ Advanced Search ]

Home

Foundation Coding Tool 

Proposals

Info 

- ▶ 10 Diseases of the ear or mastoid process   
- ▶ 11 Diseases of the circulatory system
- ▶ 12 Diseases of the respiratory system
- ▶ 13 Diseases of the digestive system
- ▶ 14 Diseases of the skin
- ▶ 15 Diseases of the musculoskeletal system or connective tissue
- ▶ 16 Diseases of the genitourinary system
- ▶ 17 Conditions related to sexual health
- ▼ 18 Pregnancy, childbirth or the puerperium
  - ▶ Abortive outcome of pregnancy
  - ▶ Oedema, proteinuria, or hypertensive disorders in pregnancy, childbirth, or the puerperium
  - ▶ Obstetric haemorrhage
  - ▶ Certain specified maternal disorders predominantly related to pregnancy
  - ▶ Maternal care related to the fetus, amniotic cavity or possible delivery problems
  - ▶ Complications of labour or delivery
  - ▶ Delivery
  - ▶ Complications predominantly related to the puerperium
  - ▶ Certain obstetric conditions, not elsewhere classified
  - ▶ Gestational trophoblastic diseases
  - ▶ Contact with health services for reasons associated with reproduction
- ▶ 19 Certain conditions originating in the perinatal period
- ▶ 20 Developmental anomalies
- ▶ 21 Symptoms, signs or clinical findings, not elsewhere classified
- ▶ 22 Injury, poisoning or certain other consequences of external causes
- ▶ 23 External causes of morbidity or mortality
- ▶ 24 Factors influencing health status or contact with health services
- ▶ 25 Codes for special purposes
- ▶ 26 Supplementary Chapter Traditional Medicine

Foundation URI : <http://id.who.int/icd/entity/714000734>**18 Pregnancy, childbirth or the puerperium****Description**

A group of conditions characterised as occurring during the period of time from conception to delivery (pregnancy), during labour and delivery (childbirth) or during the approximately six weeks after delivery during which the uterus returns to the original size (puerperium).

**Exclusions**

- Postpartum necrosis of pituitary gland (5A61.0)
- Obstetrical tetanus (1C14)
- Injury, poisoning or certain other consequences of external causes (NA00-NF2Z)

**Coded Elsewhere**

- Gestational trophoblastic diseases ()
- Contact with health services for reasons associated with reproduction (QA20-QA4Z)

**All Index Terms**

There are no index terms associated with this entity

**Coding Note**

The codes included in this chapter are to be used for conditions related to or aggravated by the pregnancy, childbirth or by the puerperium (maternal causes or obstetric causes)



Caveats

Kilde: WHO, <https://icd.who.int/dev11/l-m/en#/http%3a%2f%2fid.who.int%2fidcd%2fentity%2f714000734>

## ICD-10 Version:2019

Search  [Advanced Search] **ICD-10** Versions - Languages **Info**

International Statistical Classification of Diseases and Related Health Problems 10th Revision (ICD-10)-WHO Version for ;2019-covid-expanded

**Chapter XV**  
**Pregnancy, childbirth and the puerperium**  
**(000-099)**

The codes included in this chapter are to be used for conditions related to or aggravated by the pregnancy, childbirth or by the puerperium (maternal causes or obstetric causes).

**Excl.:** Certain diseases or injuries complicating pregnancy, childbirth and the puerperium classified elsewhere:

- external causes (for mortality) ([Y01-Y89](#))
- injury, poisoning and certain other consequences of external cause ([S00-T88.1, T88.6-T98](#))
- mental and behavioural disorders associated with the puerperium ([F53.-](#))
- obstetrical tetanus ([A34](#))
- postpartum necrosis of pituitary gland ([E23.0](#))
- puerperal osteomalacia ([M83.0](#))

supervision of:

- high-risk pregnancy ([Z35.-](#))
- normal pregnancy ([Z34.-](#))

**This chapter contains the following blocks:**

- [000-008](#) Pregnancy with abortive outcome
- [Q10-016](#) Oedema, proteinuria and hypertensive disorders in pregnancy, childbirth and the puerperium
- [Q20-029](#) Other maternal disorders predominantly related to pregnancy
- [Q30-048](#) Maternal care related to the fetus and amniotic cavity and possible delivery problems
- [O60-075](#) Complications of labour and delivery
- [O80-084](#) Delivery
- [O85-092](#) Complications predominantly related to the puerperium
- [O94-099](#) Other obstetric conditions, not elsewhere classified

Kilde: WHO, <https://icd.who.int/browse10/2019/en#XV>

## WHO-FIC Foundation

Search

[ Advanced Search ]

Home

Linearizations

Proposals

Info

### WHO-FIC Foundation



- WHO-FIC Foundation
- ICD Entity
- ICD Category
  - Certain infectious or parasitic diseases
  - Neoplasms
  - Diseases of the blood or blood-forming organs
  - Diseases of the immune system
  - Endocrine, nutritional or metabolic diseases
  - Mental, behavioural or neurodevelopmental disorders
  - Sleep-wake disorders
  - Diseases of the nervous system
  - Diseases of the visual system
  - Diseases of the ear or mastoid process
  - Diseases of the circulatory system
  - Diseases of the respiratory system
  - Diseases of the digestive system
  - Diseases of the skin
  - Diseases of the musculoskeletal system or connective tissue
  - Diseases of the genitourinary system
  - Conditions related to sexual health
  - Pregnancy, childbirth or the puerperium
  - Abortive outcome of pregnancy
    - Abortion
    - Ectopic pregnancy
    - Molar pregnancy
    - Missed abortion
    - Blighted ovum or nonhydatidiform mole

Foundation URI : <http://id.who.int/icd/entity/721991699>

### Missed abortion

#### Parent(s)

- Abortive outcome of pregnancy

ICD-10 : O02.1



#### Description

A condition caused by genetic abnormality, abnormal cell division, or poor quality ovum or sperm. This condition is characterised by a failed pregnancy, immature fetal or embryonic death that is not expelled from the uterus for at least 8 weeks, and diminished uterine size. This condition may also present with maternal infection, blood clotting, fetal calcification, and resorption of conception products. Confirmation is by imaging.

#### Synonyms

- Early fetal death with retention of dead fetus \*
- missed miscarriage
- silent miscarriage
- MA - [missed abortion]
- early dead fetus retained
- early fetal death with retention

#### Exclusions

- Blighted ovum or nonhydatidiform mole =>
- Molar pregnancy =>



Caveats

Kilde: WHO, <https://icd.who.int/dev11/l-m/en#/http://id.who.int/icd/entity/721991699>

## ICD-10 Version:2019

Search

[ Advanced Search ]

ICD-10

Versions - Languages

Info

- ▼ ICD-10 Version:2019
  - I Certain infectious and parasitic diseases
  - II Neoplasms
  - III Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism
  - IV Endocrine, nutritional and metabolic diseases
  - V Mental and behavioural disorders
  - VI Diseases of the nervous system
  - VII Diseases of the eye and adnexa
  - VIII Diseases of the ear and mastoid process
  - IX Diseases of the circulatory system
  - X Diseases of the respiratory system
  - XI Diseases of the digestive system
  - XII Diseases of the skin and subcutaneous tissue
  - XIII Diseases of the musculoskeletal system and connective tissue
  - XIV Diseases of the genitourinary system
  - ▼ XV Pregnancy, childbirth and the puerperium
    - 000-008 Pregnancy with abortive outcome
      - 000 Ectopic pregnancy
      - 001 Hydatidiform mole
      - 002 Other abnormal products of conception
        - 002.0 Blighted ovum and nonhydatidiform mole
    - 002.1 Missed abortion
    - 002.8 Other specified abnormal products of conception
    - 002.9 Abnormal product of conception, unspecified
  - 003 Spontaneous abortion
  - 004 Medical abortion

### • intrauterine NOS Pathological ovum

#### 002.1 Missed abortion

Early fetal death with retention of dead fetus

*Excl.:* missed abortion with:

- blighted ovum (002.0)
- mole:
  - hydatidiform (001.-)
  - nonhydatidiform (002.0)

#### 002.8 Other specified abnormal products of conception

*Excl.:* those with:

- blighted ovum (002.0)
- mole:
  - hydatidiform (001.-)
  - nonhydatidiform (002.0)

#### 002.9 Abnormal product of conception, unspecified

#### 003 Spontaneous abortion

[See before 003 for subdivisions]

*Incl.:* miscarriage

#### 004 Medical abortion

[See before 003 for subdivisions]

*Incl.:* termination of pregnancy:

- legal
  - therapeutic
- therapeutic abortion

#### 005 Other abortion

[See before 003 for subdivisions]

Kilde: WHO, <https://icd.who.int/browse10/2019/en#/002.1>

# Mappingtabeller mellem ICD-11 og ICD-10

**ICD-11 for Mortality and Morbidity Statistics** (Version : 02/2022)

Search

[ Advanced Search ]

Browse

Coding Tool

Special Views

Info

- ▼ ICD-11 for Mortality and Morbidity Statistics
  - 01 Certain infectious or parasitic diseases
  - 02 Neoplasms
  - 03 Diseases of the blood or blood-forming organs
  - 04 Diseases of the immune system
  - 05 Endocrine, nutritional or metabolic diseases
  - 06 Mental, behavioural or neurodevelopmental disorders
  - 07 Sleep-wake disorders
  - 08 Diseases of the nervous system
  - 09 Diseases of the visual system
  - 10 Diseases of the ear or mastoid process
  - 11 Diseases of the circulatory system
  - 12 Diseases of the respiratory system
  - 13 Diseases of the digestive system
  - 14 Diseases of the skin
  - 15 Diseases of the musculoskeletal system or connective tissue
  - 16 Diseases of the genitourinary system
  - 17 Conditions related to sexual health
  - 18 Pregnancy, childbirth or the puerperium
  - 19 Certain conditions originating in the perinatal period
  - 20 Developmental anomalies
  - 21 Symptoms, signs or clinical findings, not elsewhere classified
  - 22 Injury, poisoning or certain other consequences of external causes
  - 23 External causes of morbidity or mortality
  - 24 Factors influencing health status or contact with health services
  - 25 Codes for special purposes
  - 26 Supplementary Chapter Traditional Medicine Conditions - Module I
  - V Supplementary section for functioning assessment
  - X Extension Codes

## ICD-11 for Mortality and Morbidity St

- User Guide
- Print Versions
- ICD-11 Reference Guide
- Spreadsheet File
- ICD-10 / ICD-11 mapping Tables**
- ICD-11 Maintenance, Contributions, Proposals
- ICD Home Page
- Earlier releases and Update history

Kilde: WHO, <https://icd.who.int/browse11/l-m/en>

10To11MapToOneCategory.xlsx [Skrivebeskyttet] - Excel

Solveig Bang

Filer Hjem Indsæt Sidelayout Formler Data Gennemse Vis Hjælp 360° Fortæl mig, hvad du vil foretage dig 07-02-2022

M1	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q
	10ClassKind	10Depth1	icd10Code	icd10Char	icd10Title	11ClassKir	11Depth1	ICD-11 FoundationURI	Linearization (releaseURI)	icd11Code	icd11	icd11Title	07-02-2022				
6646 category	2	N99.5	XIV	Malfunction of external stoma of urin category	1	http://id.who.int/icd/entity/139669354	http://id.who.int/icd/release/11/2022-02/mms/139/GC74	16	Malfunction or complication of external stoma of urinary tract								
6647 category	2	N99.8	XIV	Other postprocedural disorders of genit block	1	http://id.who.int/icd/entity/1369041370	http://id.who.int/icd/release/11/2022-02/mms/1369041370	16	Postprocedural disorders of genitourinary system								
6648 category	2	N99.9	XIV	Postprocedural disorder of genitourin block	1	http://id.who.int/icd/entity/1369041370	http://id.who.int/icd/release/11/2022-02/mms/1369041370	16	Postprocedural disorders of genitourinary system								
6649 chapter	1	XV	XV	Pregnancy, childbirth and the puerperium chapter	1	http://id.who.int/icd/entity/714000734	http://id.who.int/icd/release/11/2022-02/mms/714/18	18	Pregnancy, childbirth or the puerperium								
6650 block	1	000-008	XV	Pregnancy with abortive outcome	category	1	http://id.who.int/icd/entity/877352786	http://id.who.int/icd/release/11/2022-02/mms/877:JA02	18	Abortive outcome of pregnancy, unspecified							
6651 category	1	000	XV	Ectopic pregnancy	category	2	http://id.who.int/icd/entity/1563334645	http://id.who.int/icd/release/11/2022-02/mms/156:JA01.2	18	Ectopic pregnancy, unspecified							
6652 category	2	000.0	XV	Abdominal pregnancy	category	2	http://id.who.int/icd/entity/1396448570	http://id.who.int/icd/release/11/2022-02/mms/139:JA01.0	18	Abdominal pregnancy							
6653 category	2	000.1	XV	Tubal pregnancy	category	2	http://id.who.int/icd/entity/913821868	http://id.who.int/icd/release/11/2022-02/mms/913:JA01.1	18	Tubal pregnancy							
6654 category	2	000.2	XV	Ovarian pregnancy	category	2	http://id.who.int/icd/entity/1121615955	http://id.who.int/icd/release/11/2022-02/mms/112:JA01.2	18	Ovarian pregnancy							
6655 category	2	000.8	XV	Other ectopic pregnancy	category	2	http://id.who.int/icd/entity/1563334645	http://id.who.int/icd/release/11/2022-02/mms/156:JA01.2	18	Ectopic pregnancy, unspecified							
6656 category	2	000.9	XV	Ectopic pregnancy, unspecified	category	2	http://id.who.int/icd/entity/1563334645	http://id.who.int/icd/release/11/2022-02/mms/156:JA01.2	18	Ectopic pregnancy, unspecified							
6657 category	1	001	XV	Hydatidiform mole	category	2	http://id.who.int/icd/entity/946166369	http://id.who.int/icd/release/11/2022-02/mms/946:JA02.2	18	Molar pregnancy, unspecified							
6658 category	2	001.0	XV	Classical hydatidiform mole	category	2	http://id.who.int/icd/entity/1338299833	http://id.who.int/icd/release/11/2022-02/mms/133:JA02.0	18	Complete hydatidiform mole							
6659 category	2	001.1	XV	Incomplete and partial hydatidiform mole	category	2	http://id.who.int/icd/entity/714020909	http://id.who.int/icd/release/11/2022-02/mms/714:JA02.1	18	Incomplete or partial hydatidiform mole							
6660 category	2	001.9	XV	Hydatidiform mole, unspecified	category	2	http://id.who.int/icd/entity/946166369	http://id.who.int/icd/release/11/2022-02/mms/946:JA02.2	18	Molar pregnancy, unspecified							
6661 category	1	002	XV	Other abnormal products of conception	category	1	http://id.who.int/icd/entity/877352786	http://id.who.int/icd/release/11/2022-02/mms/877:JA02	18	Abortive outcome of pregnancy, unspecified							
6662 category	2	002.0	XV	Blighted ovum and nonhydatidiform mole	category	1	http://id.who.int/icd/entity/1313043847	http://id.who.int/icd/release/11/2022-02/mms/131:JA04	18	Blighted ovum or nonhydatidiform mole							
6663 category	2	002.1	XV	Missed abortion	category	1	http://id.who.int/icd/entity/721991699	http://id.who.int/icd/release/11/2022-02/mms/721:JA03	18	Missed abortion							
6664 category	2	002.8	XV	Other specified abnormal products of category	1	http://id.who.int/icd/entity/877352786	http://id.who.int/icd/release/11/2022-02/mms/877:JA02	18	Abortive outcome of pregnancy, unspecified								
6665 category	2	002.9	XV	Abnormal product of conception, uns	category	1	http://id.who.int/icd/entity/877352786	http://id.who.int/icd/release/11/2022-02/mms/877:JA02	18	Abortive outcome of pregnancy, unspecified							
6666 category	1	003	XV	Spontaneous abortion	category	2	http://id.who.int/icd/entity/696502028	http://id.who.int/icd/release/11/2022-02/mms/696:JA00.0	18	Spontaneous abortion							
6667 modifiedcategory	2	003.0	XV	Spontaneous abortion : incomplete, c	category	3	http://id.who.int/icd/entity/1388035334	http://id.who.int/icd/release/11/2022-02/mms/138:JA00.00	18	Spontaneous abortion, incomplete, complicated by genital tract or p							
6668 modifiedcategory	2	003.1	XV	Spontaneous abortion : incomplete, c category	3	http://id.who.int/icd/entity/938504340	http://id.who.int/icd/release/11/2022-02/mms/938:JA00.01	18	Spontaneous abortion, incomplete, complicated by delayed or exce								
6669 modifiedcategory	2	003.2	XV	Spontaneous abortion : incomplete, c category	3	http://id.who.int/icd/entity/1130176621	http://id.who.int/icd/release/11/2022-02/mms/113:JA00.02	18	Spontaneous abortion, incomplete, complicated by embolism								
6670 modifiedcategory	2	003.3	XV	Spontaneous abortion : incomplete, v	category	3	http://id.who.int/icd/entity/639036921	http://id.who.int/icd/release/11/2022-02/mms/639:JA00.03	18	Spontaneous abortion, incomplete, with other or unspecified comp							
6671 modifiedcategory	2	003.4	XV	Spontaneous abortion : incomplete, v category	3	http://id.who.int/icd/entity/1442348653	http://id.who.int/icd/release/11/2022-02/mms/144:JA00.04	18	Spontaneous abortion, incomplete, without complication								
6672 modifiedcategory	2	003.5	XV	Spontaneous abortion : complete or u	category	3	http://id.who.int/icd/entity/81703385	http://id.who.int/icd/release/11/2022-02/mms/817:JA00.05	18	Spontaneous abortion, complete or unspecified, complicated by ge							
6673 modifiedcategory	2	003.6	XV	Spontaneous abortion : complete or u category	3	http://id.who.int/icd/entity/1142874888	http://id.who.int/icd/release/11/2022-02/mms/114:JA00.06	18	Spontaneous abortion, complete or unspecified, complicated by del								
6674 modifiedcategory	2	003.7	XV	Spontaneous abortion : complete or u category	3	http://id.who.int/icd/entity/559230610	http://id.who.int/icd/release/11/2022-02/mms/559:JA00.07	18	Spontaneous abortion, complete or unspecified, complicated by em								
6675 modifiedcategory	2	003.8	XV	Spontaneous abortion : complete or u category	3	http://id.who.int/icd/entity/1547451344	http://id.who.int/icd/release/11/2022-02/mms/154:JA00.08	18	Spontaneous abortion, complete or unspecified, with other or unsp								
6676 modifiedcategory	2	003.9	XV	Spontaneous abortion : complete or u category	3	http://id.who.int/icd/entity/964163142	http://id.who.int/icd/release/11/2022-02/mms/964:JA00.09	18	Spontaneous abortion, complete or unspecified, without complicati								
6677 category	1	004	XV	Medical abortion	category	2	http://id.who.int/icd/entity/1517114528	http://id.who.int/icd/release/11/2022-02/mms/151:JA00.1	18	Induced abortion							
6678 modifiedcategory	2	004.0	XV	Medical abortion : incomplete, compl	category	3	http://id.who.int/icd/entity/1774373960	http://id.who.int/icd/release/11/2022-02/mms/177:JA00.10	18	Induced abortion, incomplete, complicated by genital tract or pelvic							
6679 modifiedcategory	2	004.1	XV	Medical abortion : incomplete, compl	category	3	http://id.who.int/icd/entity/210305490	http://id.who.int/icd/release/11/2022-02/mms/210:JA00.11	18	Induced abortion, incomplete, complicated by delayed or excessive							
6680 modifiedcategory	2	004.2	XV	Medical abortion : incomplete, compl	category	3	http://id.who.int/icd/entity/2015645997	http://id.who.int/icd/release/11/2022-02/mms/201:JA00.12	18	Induced abortion, incomplete, complicated by embolism							
6681 modifiedcategory	2	004.3	XV	Medical abortion : incomplete, with o	category	3	http://id.who.int/icd/entity/493853881	http://id.who.int/icd/release/11/2022-02/mms/493:JA00.13	18	Induced abortion, incomplete, with other or unspecified complicat							
6682 modifiedcategory	2	004.4	XV	Medical abortion : incomplete, witho	category	3	http://id.who.int/icd/entity/1853951789	http://id.who.int/icd/release/11/2022-02/mms/185:JA00.14	18	Induced abortion, incomplete, without complication							
6683 modifiedcategory	2	004.5	XV	Medical abortion : complete or unspe	category	3	http://id.who.int/icd/entity/197837497	http://id.who.int/icd/release/11/2022-02/mms/197:JA00.15	18	Induced abortion, complete or unspecified, complicated by genit							
6684 modifiedcategory	2	004.6	XV	Medical abortion : complete or unspe	category	3	http://id.who.int/icd/entity/2137490488	http://id.who.int/icd/release/11/2022-02/mms/213:JA00.16	18	Induced abortion, complete or unspecified, complicated by delayed							
6685 modifiedcategory	2	004.7	XV	Medical abortion : complete or unspe	category	3	http://id.who.int/icd/entity/439115732	http://id.who.int/icd/release/11/2022-02/mms/439:JA00.17	18	Induced abortion, complete or unspecified, complicated by embolis							
6686 modifiedcategory	2	004.8	XV	Medical abortion : complete or unspe	category	3	http://id.who.int/icd/entity/501026831	http://id.who.int/icd/release/11/2022-02/mms/501:JA00.18	18	Induced abortion, complete or unspecified, with other complication							
6687 modifiedcategory	2	004.9	XV	Medical abortion : complete or unspe	category	3	http://id.who.int/icd/entity/1451039589	http://id.who.int/icd/release/11/2022-02/mms/145:JA00.19	18	Induced abortion, complete or unspecified, without complication							

Kilde: WHO, <https://icd.who.int/browse11/l-m/en> (billedet viser downloadet fil fra Info i ICD-11 MMS)

# Eksempler på kodning med ICD-11

# ICD-11

International Classification of Diseases 11th Revision

The global standard for diagnostic health information

## Use ICD-11

[ICD-11 Browser](#)  
for seeing the content

[ICD-11 Coding tool](#)  
for coding with ICD-11

[ICD-API](#)  
web services to get programmatic access to ICD-11  
[ICD-11 Implementation or Transition Guide](#)

## Learn More

[ICD Home Page](#)  
[ICD-11 Reference Guide](#)  
[ICD-11 Fact Sheet](#)  
[ICD-11 License](#)  
[ICD-11 Training](#)  
[ICD Video](#)

[Older versions](#)

[ICD-10 Browser](#)

## Be Involved

Our [maintenance platform](#) provides various ways to contribute  
[Comments](#)  
[Proposals](#)  
[Translations](#)




Kilde: WHO, <https://icd.who.int/en>

# Eksempel på registrering af blødning tidligt i graviditeten - truende abort - postkoordinering (sammensatte begreber) i ICD-11 MMS

**ICD-11 for Mortality and Morbidity Statistics** (Version : 01/2023) EN

Search  [ Advanced Search ] Browse Coding Tool Info

12 Diseases of the respiratory system  
13 Diseases of the digestive system   
14 Diseases of the skin  
15 Diseases of the musculoskeletal system or connective tissue  
16 Diseases of the genitourinary system  
17 Conditions related to sexual health  
**18 Pregnancy, childbirth or the puerperium**   
    Abortive outcome of pregnancy  
    Oedema, proteinuria, or hypertensive disorders in pregnancy, childbirth, or the puerperium  
    Obstetric haemorrhage  
    Certain specified maternal disorders predominantly related to pregnancy  
    Maternal care related to the fetus, amniotic cavity or possible delivery problems  
    Complications of labour or delivery  
    Delivery  
    Complications predominantly related to the puerperium  
    Certain obstetric conditions, not elsewhere classified  
    Gestational trophoblastic diseases  
    Contact with health services for reasons associated with reproduction  
19 Certain conditions originating in the perinatal period

Foundation URI : <http://id.who.int/icd/entity/714000734>

## 18 Pregnancy, childbirth or the puerperium

### Description

A group of conditions characterised as occurring during the period of time from conception to delivery (pregnancy), during labour and delivery (childbirth) or during the approximately six weeks after delivery during which the uterus returns to the original size (puerperium).

### Exclusions

- Postpartum necrosis of pituitary gland (5A61.0)
- Obstetrical tetanus (1C14)
- Injury, poisoning or certain other consequences of external causes (NA00-NF2Z)

### Coded Elsewhere

- Gestational trophoblastic diseases ()
- Contact with health services for reasons associated with reproduction (QA20-QA4Z)

### Coding Note

The codes included in this chapter are to be used for conditions related to or aggravated by the pregnancy, childbirth or by the puerperium (maternal causes or obstetric causes)

[Release Notes](#)

**Kilde:** WHO, <https://icd.who.int/enhttps://icd.who.int/browse11/lm/en#/http%3a%2f%2fid.who.int%2fid%2feentity%2f714000734>

Search

[ Advanced Search ]

Browse

Coding Tool

Info

## 12 Diseases of the respiratory system

- ▶ 13 Diseases of the digestive system
- ▶ 14 Diseases of the skin
- ▶ 15 Diseases of the musculoskeletal system or connective tissue
- ▶ 16 Diseases of the genitourinary system
- ▶ 17 Conditions related to sexual health
- ▼ 18 Pregnancy, childbirth or the puerperium
  - ▶ Abortive outcome of pregnancy
  - ▶ Oedema, proteinuria, or hypertensive disorders in pregnancy, childbirth, or the puerperium
  - ▼ Obstetric haemorrhage
    - ▶ JA40 Haemorrhage in early pregnancy
    - ▶ JA41 Antepartum haemorrhage
    - ▶ JA42 Intrapartum haemorrhage
    - ▶ JA43 Postpartum haemorrhage
    - ▶ JA4Z Obstetric haemorrhage, unspecified
    - ▶ Certain specified maternal disorders predominantly related to pregnancy
    - ▶ Maternal care related to the fetus, amniotic cavity or possible delivery problems
    - ▶ Complications of labour or delivery
    - ▶ Delivery
    - ▶ Complications predominantly related to the puerperium
    - ▶ Certain obstetric conditions, not elsewhere classified

Foundation URI : <http://id.who.int/icd/entity/903303141>

## Obstetric haemorrhage

### Parent

18 Pregnancy, childbirth or the puerperium

Release Notes

Kilde: WHO, <https://icd.who.int/en>  
<https://icd.who.int/browse11/l-m/en#/http%3a%2f%2fid.who.int%2fid%2fentity%2f903303141>

Search

[ Advanced Search ]

Browse

Coding Tool

Info

## 12 Diseases of the respiratory system

- ▶ 13 Diseases of the digestive system
- ▶ 14 Diseases of the skin
- ▶ 15 Diseases of the musculoskeletal system or connective tissue
- ▶ 16 Diseases of the genitourinary system
- ▶ 17 Conditions related to sexual health
- ▼ 18 Pregnancy, childbirth or the puerperium
  - ▶ Abortive outcome of pregnancy
  - ▶ Oedema, proteinuria, or hypertensive disorders in pregnancy, childbirth, or the puerperium
  - ▼ Obstetric haemorrhage
    - ▼ JA40 Haemorrhage in early pregnancy
      - JA40.0 Threatened abortion
      - JA40.Y Other specified haemorrhage in early pregnancy
      - JA40.Z Haemorrhage in early pregnancy, unspecified
    - ▶ JA41 Antepartum haemorrhage
    - ▶ JA42 Intrapartum haemorrhage
    - ▶ JA43 Postpartum haemorrhage
    - JA4Z Obstetric haemorrhage, unspecified
  - ▶ Certain specified maternal disorders predominantly related to pregnancy
  - ▶ Maternal care related to the fetus, amniotic cavity or possible delivery problems
  - ▶ Complications of labour or delivery

Foundation URI : <http://id.who.int/icd/entity/224131129>**JA40 Haemorrhage in early pregnancy****Parent**

Obstetric haemorrhage

[Show all ancestors](#)**Exclusions**

- Abortive outcome of pregnancy (JA00-JA0Z)

[Release Notes](#)

Kilde: WHO, <https://icd.who.int/en>  
<https://icd.who.int/browse11/item/en#/http%3a%2f%2fid.who.int%2fid%2fentity%2f224131129>

Search

[\[ Advanced Search \]](#)
[Browse](#)
[Coding Tool](#)
[Info](#)

 Foundation URI : <http://id.who.int/icd/entity/1929927516>

## JA40.0 Threatened abortion

### Parent

JA40 Haemorrhage in early pregnancy

[Show all ancestors](#)

### Description

A bloody vaginal discharge of bleeding appears through a closed cervical os during the first half of pregnancy.

### Inclusions

- Haemorrhage specified as due to threatened abortion

### Postcoordination

#### Add detail to **Threatened abortion**

Associated with (use additional code, if desired.)

XT3X	Duration of pregnancy less than 5 completed weeks
XT09	Duration of pregnancy 5-13 completed weeks
XT65	Duration of pregnancy 14-19 completed weeks
XT5N	Duration of pregnancy 20-21 completed weeks
XT0T	Duration of pregnancy 20-25 completed weeks
XT4J	Duration of pregnancy 26-33 completed weeks
XT84	Duration of pregnancy 34-36 completed weeks

Kilde: WHO, <https://icd.who.int/en>  
<https://icd.who.int/browse11/lm/en#/http%3a%2f%2fid.who.int%2fid%2fentity%2f1929927516>

Search

[ Advanced Search ]

Browse

Coding Tool

Info

or the puerperium



Obstetric

haemorrhage

JA40 Haemorrhage  
in early pregnancy

JA40.0

Threatened  
abortionJA40.Y Other  
specified  
haemorrhage in  
early pregnancy

JA40.Z

Haemorrhage in  
early pregnancy,  
unspecifiedJA41 Antepartum  
haemorrhageJA42 Intrapartum  
haemorrhageJA43 Postpartum  
haemorrhageJA4Z Obstetric  
haemorrhage,  
unspecifiedCertain specified  
maternal disorders  
predominantly related**JA40.0 Threatened abortion****Parent**

JA40 Haemorrhage in early pregnancy

Show all ancestors

**Description**

A bloody vaginal discharge of bleeding appears through a closed cervical os during the first half of pregnancy.

**Inclusions**

- Haemorrhage specified as due to threatened abortion

**Postcoordination**

JA40.0 Threatened abortion

Code: JA40.0

**Add detail to Threatened abortion**

Associated with (use additional code, if desired.)

XT3X	Duration of pregnancy less than 5 completed weeks
XT09	Duration of pregnancy 5-13 completed weeks
XT65	Duration of pregnancy 14-19 completed weeks
XT5N	Duration of pregnancy 20-21 completed weeks
XT0T	Duration of pregnancy 20-25 completed weeks
XT4J	Duration of pregnancy 26-33 completed weeks
XT84	Duration of pregnancy 34-36 completed weeks
XT6G	Duration of pregnancy more than 36 completed weeks
XT6K	Unspecified duration of pregnancy

Kilde: WHO, <https://icd.who.int/en>  
<https://icd.who.int/browse11/l-m/en#/http%3a%2f%2fid.who.int%2fid%2fentity%2f1929927516>

# ICD-11 for Mortality and Morbidity Statistics (Version : 01/2023)

Search

[ Advanced Search ]

Browse

Coding Tool

Info

or the puerperium

Obstetric

haemorrhage

JA40 Haemorrhage  
in early pregnancy

JA40.0

Threatened  
abortionJA40.Y Other  
specified  
haemorrhage in  
early pregnancy

JA40.Z

Haemorrhage in  
early pregnancy,  
unspecifiedJA41 Antepartum  
haemorrhageJA42 Intrapartum  
haemorrhageJA43 Postpartum  
haemorrhageJA4Z Obstetric  
haemorrhage,  
unspecifiedCertain specified  
maternal disorders  
predominantly related

## JA40.0 Threatened abortion

### Parent

JA40 Haemorrhage in early pregnancy

Show all ancestors

### Description

A bloody vaginal discharge of bleeding appears through a closed cervical os during the first half of pregnancy.

### Inclusions

- Haemorrhage specified as due to threatened abortion

### Postcoordination

JA40.0 Threatened abortion

Code: JA40.0

#### Add detail to Threatened abortion

Associated with (use additional code, if desired.)

XT3X	Duration of pregnancy less than 5 completed weeks
XT09	Duration of pregnancy 5-13 completed weeks
XT65	Duration of pregnancy 14-19 completed weeks
XT5N	Duration of pregnancy 20-21 completed weeks
XT0T	Duration of pregnancy 20-25 completed weeks
XT4J	Duration of pregnancy 26-33 completed weeks
XT84	Duration of pregnancy 34-36 completed weeks
XT6G	Duration of pregnancy more than 36 completed weeks
XT6K	Unspecified duration of pregnancy

Kilde: WHO, <https://icd.who.int/en>  
 ICD-11 for Mortality and Morbidity Statistics  
 (who.int)

Search

[ Advanced Search ]

Browse

Coding Tool

Info

- or the puerperium
- Obstetric haemorrhage
- JA40 Haemorrhage in early pregnancy
  - JA40.0 Threatened abortion
  - JA40.Y Other specified haemorrhage in early pregnancy

JA40.Z  
Haemorrhage in early pregnancy, unspecified

- JA41 Antepartum haemorrhage
- JA42 Intrapartum haemorrhage
- JA43 Postpartum haemorrhage
- JA4Z Obstetric haemorrhage, unspecified
- Certain specified maternal disorders predominantly related

**JA40.0 Threatened abortion**

## Parent

JA40 Haemorrhage in early pregnancy

Show all ancestors 

## Description

A bloody vaginal discharge or bleeding appears through a closed cervical os during the first half of pregnancy.

## Inclusions

- Haemorrhage specified as due to threatened abortion

**Threatened abortion & Duration of pregnancy 14-19 completed weeks**

## Postcoordination

JA40.0 Threatened abortion

Code: JA40.0&amp;XT65

Associated with

XT65 Duration of pregnancy 14-19 completed weeks

Add detail to **Threatened abortion**

Associated with (use additional code, if desired.)

XT3X	Duration of pregnancy less than 5 completed weeks
XT09	Duration of pregnancy 5-13 completed weeks
<b>XT65</b>	<b>Duration of pregnancy 14-19 completed weeks</b>
XT5N	Duration of pregnancy 20-21 completed weeks
XT0T	Duration of pregnancy 20-25 completed weeks
XT4J	Duration of pregnancy 26-33 completed weeks
XT84	Duration of pregnancy 34-36 completed weeks
XT6G	Duration of pregnancy more than 36 completed weeks
XT6K	Unspecified duration of pregnancy

Kilde: WHO, <https://icd.who.int/en>  
 ICD-11 for Mortality and Morbidity Statistics  
 (who.int)

## Eksempel på registrering af blødning tidligt i graviditeten - truende abort - postkoordinering (sammensatte begreber)

ICD-11 – to enkeltstående tekster/begreber fra kapitel 18 Pregnancy, childbirth or the puerperium	JA40.0 Threatened abortion	XT65 Duration of pregnancy 14-19 completed weeks
Eksempel på sammensatte begreber til præcisering med ICD-11 (postcoordination)	JA40.0&XT65 Threatened abortion & Duration of pregnancy 14-19 completed weeks	

# Eksempel på registrering af blødning postpartum – postkoordinering (sammensatte begreber) via Coding Tool

## ICD-11 Coding Tool

Mortality and Morbidity Statistics (MMS)  
2023-01

Help

postpartum ha X

Guessing the word being typed...

Filter (off)

### Word list

sort : Relatedness/repetition ▾

haemorrhage

### Destination Entities

sort: Matching score ▾

JA43.Z	<b>Postpartum haemorrhage</b> , unspecified	<span style="color:orange;">+ [Details]</span>
JA43.1	Other immediate <b>postpartum haemorrhage</b>	<span style="color:orange;">+ [Details]</span>
JA43.2	Delayed or secondary <b>postpartum haemorrhage</b>	<span style="color:orange;">+ [Details]</span>
JA43.Y	Other specified <b>postpartum haemorrhage</b>	<span style="color:orange;">+ [Details]</span>
JA43.3	<b>Postpartum</b> coagulation defects <b>Postpartum</b> fibrinolysis with <b>haemorrhage</b>	<span style="color:orange;">+ [Details]</span>
JA43.0	Third-stage <b>haemorrhage</b> third-stage <b>postpartum haemorrhage</b>	<span style="color:orange;">+ [Details]</span>
JA43.4	<b>Postpartum haemorrhage</b> following obstructed labour with uterine rupture	<span style="color:orange;">+ [Details]</span>
JA43.5	<b>Postpartum haemorrhage</b> following obstructed labour without mention of uterine rupture	<span style="color:orange;">+ [Details]</span>

Kilde: WHO, [https://icd.who.int/ct11/icd11\\_mms/en/release](https://icd.who.int/ct11/icd11_mms/en/release)

postpartum ha 

Guessing the word being typed...

 Filter 

## Word list

sort : Relatedness/repetition ▾

haemorrhage

## Destination Entities

sort: Matching score ▾

JA43.Z	<b>Postpartum haemorrhage</b> , unspecified	 [Details]
JA43.1	Other immediate <b>postpartum haemorrhage</b>	 [Details]
JA43.2	Delayed or secondary <b>postpartum haemorrhage</b>	 [Details]
JA43.Y	Other specified <b>postpartum haemorrhage</b>	 [Details]
JA43.3	<b>Postpartum</b> coagulation defects <b>Postpartum</b> fibrinolysis with <b>haemorrhage</b>	 [Details]
JA43.0	Third-stage <b>haemorrhage</b> third-stage <b>postpartum haemorrhage</b>	 [Details]
JA43.4	<b>Postpartum haemorrhage</b> following obstructed labour with uterine rupture	 [Details]
JA43.5	<b>Postpartum haemorrhage</b> following obstructed labour without mention of uterine rupture	 [Details]

Kilde: WHO, [https://icd.who.int/ct11/icd11\\_mms/en/release](https://icd.who.int/ct11/icd11_mms/en/release)

postpartum ha



Guessing the word being typed...

Filter

## Word list

sort : Relatedness/repetition ▾

haemorrhage

Kilde: WHO,  
[https://icd.who.int/ct11/icd11\\_mms/en/release](https://icd.who.int/ct11/icd11_mms/en/release)

ICD-11 Coding Tool Mortality and Morbidity Statistics (MMS)

JA43.4 Postpartum haemorrhage following obstructed labour with uterine rupture

Foundation URI: <http://id.who.int/icd/entity/1388318842>

Code: JA43.4  Select

Selected term  
**Postpartum** haemorrhage following obstructed labour with uterine rupture

Exclusions from above levels Show all [3] ▾

Coding Note from above levels Show all [1] ▾

Postcoordination

Has causing condition (code also)  
search in axis: Has causing condition

JB04 Obstructed labour due to malposition or malpresentation of fetus  
JB05 Obstructed labour due to maternal pelvic abnormality  
JB06 Obstructed labour due to other causes  
JB0A.1 Rupture of uterus during labour

[Details]

JA43.5 Postpartum haemorrhage following obstructed labour without mention of uterine rupture

JA43.5 Postpartum haemorrhage following obstructed labour without mention of uterine rupture

A red diamond-shaped marker points to the 'JB04' code entry in the 'Has causing condition' section.

# ICD-11 Coding Tool

Mortality and Morbidity Statistics (MMS)  
2023-01

Help

postpartum ha



Guessing the word being typed...

Filter

## Word list

sort : Relatedness/repetition ▾

haemorrhage

Kilde: WHO,  
[https://icd.who.int/ct11/icd11\\_mms/en/release](https://icd.who.int/ct11/icd11_mms/en/release)

ICD-11 Coding Tool Mortality and Morbidity Statistics (MMS)

JA41 Antepartum haemorrhage JA43.4 Postpartum haemorrhage following obstructed labour with uterine rupture

ICD-11 Coding Tool Mortality and Morbidity Statistics (MMS)

JA41 Antepartum haemorrhage  
JA42 Intrapartum haemorrhage  
JA43 Postpartum haemorrhage  
JA43.0 Third-stage haemorrhage  
JA43.1 Other immediate postpartum haemorrhage  
JA43.2 Delayed or secondary postpartum haemorrhage  
JA43.3 Postpartum coagulation defects  
JA43.4 Postpartum haemorrhage following obstructed labour with uterine rupture  
JA43.5 Postpartum haemorrhage following obstructed labour without mention of uterine rupture  
JA43.Y Other specified postpartum haemorrhage  
JA43.Z Postpartum haemorrhage, unspecified  
JA42 Obstetric haemorrhage, unspecified  
Certain specified maternal disorders JA43.5

Code: JA43.4  Select

Selected term  
**Postpartum** haemorrhage following obstructed labour with uterine rupture

Exclusions from above levels Show all [3] ▾

Coding Note from above levels Show all [1] ▾

Postcoordination

Has causing condition (code also)  
search in axis: Has causing condition  
JB04 Obstructed labour due to malposition or malpresentation of fetus  
JB04.0 Obstructed labour due to incomplete rotation of fetal head  
JB04.1 Obstructed labour due to breech presentation  
JB04.2 Obstructed labour due to face presentation  
JB04.3 Obstructed labour due to brow presentation

Postpartum haemorrhage following obstructed labour without mention of uterine rupture  Details

ICD-11 Coding Tools Mortality and Morbidity Statistics (MMS)

puerperium

- ▷ Abortive outcome of pregnancy
- ▷ Oedema, proteinuria, or hypertensive disorders in pregnancy, childbirth, or the puerperium
- ▽ Obstetric haemorrhage
  - ▷ JA40 Haemorrhage in early pregnancy
  - ▷ JA41 Antepartum haemorrhage
  - ▷ JA42 Intrapartum haemorrhage
  - ▽ JA43 Postpartum haemorrhage
    - JA43.0 Third-stage haemorrhage

JA43.1 Other immmed JA43.4 Postpartum haemorrhage

Code: JA43.4 / JB04.1

Selected term

**Postpartum** haemorrhage following obstructed labour with uterine rupture

Exclusions from above levels Show all [3] ▾

Coding Note from above levels Show all [1] ▾

Postcoordination

Has causing condition	JB04.1 Obstructed labour due to breech presentation <span style="color: red;">X</span>
-----------------------	--

Has causing condition (code also)  
search in axis: Has causing cond

foundation URI: [http://icd.who.int/ct11/icd11\\_mms/en/release](http://icd.who.int/ct11/icd11_mms/en/release)

✓ Select

Kilde: WHO, [https://icd.who.int/ct11/icd11\\_mms/en/release](https://icd.who.int/ct11/icd11_mms/en/release)

ICD-11 Coding Tools Mortality and Morbidity Statistics (MMS)

puerperium

- ▷ Abortive outcome of pregnancy
- ▷ Oedema, proteinuria, or hypertensive disorders in pregnancy, childbirth, or the puerperium
- ▽ Obstetric haemorrhage
  - ▷ JA40 Haemorrhage in early pregnancy
  - ▷ JA41 Antepartum haemorrhage
  - ▷ JA42 Intrapartum haemorrhage
  - ▽ JA43 Postpartum haemorrhage
    - JA43.0 Third-stage haemorrhage

JA43.1 Other immmed JA43.4 Postpartum haemorrhage

Code: JA43.4 / JB04.1

Selected term

**Postpartum** haemorrhage following obstructed labour with uterine rupture

Exclusions from above levels Show all [3] ▾

Coding Note from above levels Show all [1] ▾

Postcoordination

Has causing condition	JB04.1 Obstructed labour due to breech presentation X
-----------------------	---

Has causing condition (code also)  
search in axis: Has causing cond

foundation URI: [http://icd.who.int/ct11/icd11\\_mms/en/release](http://icd.who.int/ct11/icd11_mms/en/release)

✓ Select

Kilde: WHO, [https://icd.who.int/ct11/icd11\\_mms/en/release](https://icd.who.int/ct11/icd11_mms/en/release)

## Eksempel på registrering af blødning postpartum – postkoordinering (sammensatte begreber) via Coding Tool

ICD-11 – to enkeltstående tekster/begreber fra kapitel 18 Pregnancy, childbirth or the puerperium	JA43.4 Postpartum haemorrhage following obstructed labour with uterine rupture	JB04.1 Obstructed labour due to breech presentation
Eksempel på sammensatte begreber til præcisering med ICD-11 (postcoordination)	JA43.4/JB04.1 Postpartum haemorrhage following obstructed labour with uterine rupture [Obstructed labour due to breech presentation] (Foundation URI: <a href="http://id.who.int/icd/entity/1388318842">http://id.who.int/icd/entity/1388318842</a> / <a href="http://id.who.int/icd/entity/1825950580">http://id.who.int/icd/entity/1825950580</a> )	

# Fordele og ulemper samt nyttige links

## Fordele og ulemper ved at overgå til ICD-11

- Standardiserede internationale koder, med tekster, der er lette at sammenligne på tværs af lande/sprog
- Bedre datagrundlag for international sammenlignelig statistik indenfor sundhedsområdet
- Bedre mulighed for at sammenligne sundhedsdata
- Bedre mulighed for at kunne forske i data
- Bedre patientregistrering med flere detaljer
- Ulempe: skift i klassifikation er en udfordring for sammenligning af data over tid
- Ulempe: alle brugere skal lære at benytte den nye version af ICD, og den nye klassifikation har ikke samme kodestruktur

# Med ICD-11 får vi en sygdomsklassifikation der

nærmer sig at være en klinisk terminologi

- Næsten dobbelt så mange diagnoser
- Klinisk relevante muligheder for at præcisere en diagnose

afspejler en mere nutidig sygdomsopfattelse

- Stor opdatering af psykiatrickapitlet
- Nye kapitler
  - Sygdomme i immunsystemet
  - Søvn-vågen-forstyrrelser
  - Forhold relateret til seksuel sundhed

er designet til at understøtte sundheds-it

- Mulighed for at udstille alle informationer om diagnosen på brugergrænsefladen
- Grundlag for AI, beslutnings- og processtøtte

# Hvis du vil vide mere er her nogle links...

International Classification of Diseases (ICD) (who.int)

(<https://www.who.int/standards/classifications/classification-of-diseases>)

ICD-11 Reference Guide (who.int)

(<https://icdcdn.who.int/icd11referenceguide/en/html/index.html>)

ICD-11 (who.int) (ICD-11 Home Page)

(<https://icd.who.int/en>)

ICD-11 for Mortality and Morbidity Statistics (who.int) (Den blå ICD-11-browser,

som viser ICD-11 MMS (Mortality and Morbidity Statistics))

(<https://icd.who.int/browse11/l-m/en>)

<https://icd.who.int/dev11#/> (Den orange ICD-11 platform,

hvor man kan stille forslag om ændringer mm)

webinar-on-icd-11-implementation-strategy-and-country-experiences.pdf (who.int)

([https://cdn.who.int/media/docs/default-source/classification/cat-webinars/icd-11-implementation-strategy-and-country-experiences/webinar-on-icd-11-implementation-strategy-and-country-experiences.pdf?sfvrsn=f1fe4d00\\_1](https://cdn.who.int/media/docs/default-source/classification/cat-webinars/icd-11-implementation-strategy-and-country-experiences/webinar-on-icd-11-implementation-strategy-and-country-experiences.pdf?sfvrsn=f1fe4d00_1))

The figure consists of three screenshots of WHO ICD-11 platforms. The top-left screenshot shows the 'ICD-11 Reference Guide' page with a blue header and sidebar. The top-right screenshot shows the 'ICD-11 Home Page' with a blue header and sidebar. The bottom section contains two side-by-side screenshots. The left one is the 'ICD-11 for Mortality and Morbidity Statistics' page, which has a blue header and sidebar. The right one is the 'WHO-FIC Maintenance Platform', which has an orange header and sidebar. A red rectangular box highlights the WHO-FIC Maintenance Platform screenshot.



## SUNDHEDSDATA-STYRELSEN

Sundhedsdatastyrelsen  
Ørestads Boulevard 5  
2300 København S

T: +45 7221 6800  
E: kontakt@sundhedsdata.dk  
W: sundhedsdata.dk

Tak for nu😊